


What is claimed is:

1. A composition comprising a deterative component, an emulsifier component and a polysiloxane component, the polysiloxane component comprises at least one side chain component A having the general formula:



R₁ is an H, OH or a C₁-C₅ hydrocarbon; X is a C₁-C₁₀ hydrocarbon, a heteroatom or



Z is a heteroatom and d is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke.

25 2. A composition of claim 1 comprising about 5% to about 60% of the deterative component, about 0.01% to about 10% of the emulsifier component, and about 0.01% to about 10% of the polysiloxane component.

3. A composition of claim 1 wherein the deterative component comprises a surfactant selected from the group consisting of an anionic surfactant, an amphoteric surfactant and a mixture thereof.

5

4. A composition of claim 1 wherein the emulsifier component comprises a non-ionic emulsifier.

5. A composition of claim 1 being a clear composition.

6. A composition comprising:

(a) about 0.01% to about 10% of an emulsifier component; and

(b) about 0.01% to about 10.0% of a polysiloxane component, the polysiloxane component comprises a side chain component A having the general formula:



15 R₁ is an H or a C₁-C₅ hydrocarbon; X is a C₁-C₁₀ hydrocarbon, a heteroatom or



Z is a heteroatom and d is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke.

7. A composition of claim 6 wherein the polysiloxane component has a viscosity of about 1,000 centistoke to about 500,000 centistoke.

5

8. A composition of claim 6 wherein the polysiloxane component has a viscosity of about 1,000 centistoke to about 10,000 centistoke.

9. A composition of claim 6 wherein the polysiloxane component has a viscosity of about 1,000 centistoke to about 5,000 centistoke.


10. A composition of claim 6 wherein the polysiloxane component has a viscosity of about 2,000 centistoke to about 4,000 centistoke.

11. A composition of claim 6 wherein the emulsifier component comprises:


about 0.01% to about 5% of an anionic or an amphoteric surfactant; and

5 about 0.01% to about 5% of a non-ionic emulsifier.

12. A composition of claim 6 wherein the side chain component A has the general formula:




10 wherein R1, R2, R3, R4, R5, R6, R7, R8 and R9 are independently an H, a C1-C10 hydrocarbon, an ester, carboxyl or a halogen; X is a C1-C10 hydrocarbon, a heteroatom or



20 Z is a heteroatom and d is 0 to about 6.

13. A composition of claim 6 wherein the side chain component A has the general formula:




14. A composition of claim 6 further comprising a deterative component.

15. A composition of claim 6 further comprising about 5% to about 60% of a deterative component.

16. A composition of claim 6 being a clear composition.


17. A composition of claim 6 is further comprising a shampoo additive component.

18. A micro-emulsion comprising an emulsifier component and a polysiloxane component, the polysiloxane component comprises a side chain component A having the general formula:



R1 is an H or a C1-C5 hydrocarbon; X is a C1-C10 hydrocarbon, a heteroatom or

15



20 Z is a heteroatom and d is 0 to about 6, the polysiloxane component has a viscosity of about 1 centistoke to about 1,000,000 centistoke.

19. A micro-emulsion of claim 18 wherein the polysiloxane component has a viscosity of about 1,000 centistoke to about 100,000 centistoke.

20. A micro-emulsion of claim 18 wherein the polysiloxane component has a viscosity of about 2,000 centistoke to about 5,000 centistoke.

10/24/2014 10:24:00 AM